



# Technical data

## MG TURF SEEDGE PX2



<b>PRODUCT SPECIFICATION</b>			
<b>Product name:</b>	SEEDGE PX2	<b>Application:</b>	landscaping
<b>Model:</b>		<b>Roll width:</b>	3.66m(12ft)
<b>Color:</b>	Wonderful Green & Classical Green Bi-color + Green & Yellow Bi-color	<b>Roll length:</b>	On request
<b>Accreditations and Testing:</b>	ASTM,DIN, Trace, SGS		
<b>YARN CHARACTERISTICS</b>			
<b>Yarn 1</b>		<b>Yarn 2</b>	
<b>Structure</b>	Monofilament	<b>Structure</b>	Monofilament
<b>Composition (ISO 11357)</b>	PE	<b>Composition</b>	PP
<b>Dtex (ASTM D1907)</b>	5000	<b>Dtex (ASTM D1577)</b>	3300
<b>Tape Thickness (ASTM D3218)</b>	260-300µm	<b>Tape thickness (ASTM D3218)</b>	100-160µm
<b>Tape Width:</b>	0.65-0.75mm	<b>Tape Width</b>	0.4-0.6mm
<b>UV Effects (EN ISO 20105)</b>	Grey Scale 4-5,no visual change	<b>Yarn Breaking Strength (ASTM D2256)</b>	≥110 N
<b>Pill Burn Test (ASTM D2859)</b>	Pass	<b>Yarn Melt Point (ASTM D789)</b>	120°C
<b>CARPET CHARACTERISTICS</b>			
<b>TURF</b>			
<b>Pile Height (ISO 2549)</b>	35mm±0.5mm	<b>Gauge (ASTM D5793)</b>	3/8 inch
<b>Number of Strands per Tuft</b>	6+8	<b>Stitches per 10cm</b>	15±1
<b>Stitches per m2 (ISO 1763)</b>	15750±100	<b>Total Yarn Weight (ISO 2549)</b>	1040 g/sqm (30.7 ounce/sq.yd)
<b>BACKING</b>			
<b>Primary Backing</b>	PP		
<b>Weight (ASTM D5848)</b>	200g/sqm		
<b>Secondary Backing</b>	PU		
<b>Weight (ASTM D5848)</b>	800g/sqm±10%		
<b>Total Carpet Weight (ASTM D5848)</b>	2040 g/sqm ±100g (60.2 ounce/sq.yd)		

*We reserve the right to modify these specifications. Version 1 – 1911*

13424 N.W. 38 CT, OPA LOCKA, FL 33054

305-767-6492

mgturfusa@gmail.com

www.mgturf.com